

# Intravitreal Injection

حقن الاعتلال البقعي بالإبر



World leading  
**experts in**  
**eye care**




**Moorfields**  
**Eye Hospital Dubai**  
A branch of Moorfields London

King's


مستشفى كينجز كوليدج لندن  
King's College Hospital London

# Intravitreal Injection Treatment

The macula is the central part of the retina at the back of the eye. It is responsible for fine vision (reading, writing, watching television, and recognising faces). Patients with diabetes may develop macular oedema (swelling of the retina) due to leaking of fluid from blood vessels. This causes the vision to become blurred.



Macular oedema



Normal retina

For some patients an injection of an Anti VEGf drug into the eye will improve the vision. The drug stops the growth of the abnormal blood vessels and reduces the swelling of the retina.

A course of three injections is recommended each injection one month apart. The procedure is carried out in a clean environment using sterile technique.


The eye is cleaned and local anaesthetic drops are given to numb the eye. During the injection you will feel a sensation of pressure but it should not be painful. It takes less than a minute to give the injection and the needle is slowly withdrawn when finished.

Afterwards the eye may feel slightly bruised and a bruise may appear on the white of the eye. This is not a serious problem and is due to blood vessels in the lining of the outside of the eye being caught by the needle.

This will slowly disappear over a couple of weeks. If your eye becomes very red and/or painful in the days and weeks following the injection you should contact the hospital.

The risks of the injection are bleeding and infection. The risk of this happening is one person in every 1,000.

## Aftercare

- ▶ The eye may or may not be covered after the injection. If a pad is applied this may be removed when you reach home.
  - ▶ You will be given a tube of Chloramphenicol ointment to be used three times a day for 5 days.
  - ▶ If the eye is uncomfortable you may take 2 paracetamol or your regular pain relief tablet.
  - ▶ Do not splash water into the eye for one week.
  - ▶ You may perform all your usual activities from the following day.
  - ▶ When ready for discharge you will be given an appointment for a follow up visit after one month.
- 

## Moorfields Dubai



# Moorfields Eye Hospital Dubai

A branch of Moorfields London

### Moorfields Eye Hospital Dubai

Dubai Healthcare City,  
PO Box 505054, District 1,  
Al Razi Building 64, Block E, Floor 3,  
Dubai, U.A.E.

Tel. +971 4 429 7888

[moorfields.ae](http://moorfields.ae)



### Opening hours:

Saturday to Thursday, 8.30am to 5.30pm,  
for information and advice on eye conditions and  
treatments from experienced ophthalmic trained staff.



مستشفى كينغز كوليدج لندن  
King's College Hospital London

### King's College Hospital - Dubai Hills

Dubai Hills, AlKhail Road,

Marabea East Exit

Tel: +9714 247 7777

[www.kch.ae](http://www.kch.ae)

Open 24/7

